



## Cumulative Contents

## Information for Contributors

## Reviews

## Preface

The Golgi complex: perspectives and prospectives

*J.D. Jamieson (USA)*

SNAREs and membrane fusion in the Golgi apparatus

*B.J. Nichols and H.R.B. Pelham (UK)*

COPI in ER/Golgi and intra-Golgi transport: do yeast COPI mutants point the way?

*E.C. Gaynor, T.R. Graham and S.D. Emr (USA)*

Regulation of membrane traffic in animal cells by COPI

*M. Lowe and T.E. Kreis (Switzerland)*

COPII and selective export from the endoplasmic reticulum

*C. Barlowe (USA)*

Protein sorting in the Golgi complex

*J. Füllekrug and T. Nilsson (Germany)*

The contribution of lipids and lipid metabolism to cellular functions of the Golgi complex

*M. Fang, M.P. Rivas and V.A. Bankaitis (USA)*

Rab proteins

*O. Martinez and B. Goud (France)*

The role of microtubule-based motor proteins in maintaining the structure and function of the Golgi complex

*J.K. Burkhardt (USA)*

Dynamics of the interphase mammalian Golgi complex as revealed through drugs producing reversible Golgi disassembly

*B. Storrie and W. Yang (USA)*

Inheritance of the mammalian Golgi apparatus during the cell cycle

*N. Cabrera-Poch, R. Pepperkok and D.T. Shima (UK)*

A spectrin membrane skeleton of the Golgi complex

*K.A. Beck and W.J. Nelson (USA)*

Vesicle budding on Golgi membranes: regulation by G proteins and myosin motors

*J.L. Stow and K. Heimann (Australia)*

Clathrin and adaptors

*J. Hirst and M.S. Robinson (UK)*

vii

Protein transport from the secretory to the endocytic pathway in mammalian cells

*R. Le Borgne and B. Hoflack (France)*

195

Multiple sorting pathways between the late Golgi and the vacuole in yeast

*E. Conibear and T.H. Stevens (USA)*

211

Biogenesis of secretory granules in the trans-Golgi network of neuroendocrine and endocrine cells

*S.A. Tooze (UK)*

231

Membrane traffic in polarized neurons

*F. Bradke and C.G. Dotti (Germany)*

245

The plant Golgi apparatus

*P. Dupree and D.J. Sherrier (UK)*

259

## Information for Contributors

vii

## Review

Assembling an actin cytoskeleton for cell attachment and movement

*J.V. Small, K. Rottner, I. Kaverina and K.I. Anderson (Austria)*

271

## Regular papers

Nucleotide metabolizing ectoenzymes are upregulated in A431 cells periodically treated with cytostatic ATP leading to partial resistance without preventing apoptosis

*H.S. Wiendl, C. Schneider and A. Ogilvie (Germany)*

282

Suppression of cell adhesion and spreading activities of fibronectin by arginine-specific ADP-ribosyltransferase from chicken polymorphonuclear leukocytes

*M. Terashima, C. Yamamori, M. Shimoyama and M. Tsuchiya (Japan)*

299

MPP<sup>+</sup> toxicity and plasma membrane dopamine transporter: study using cell lines expressing the wild-type and mutant rat dopamine transporters*S. Kitayama, C. Mitsuhashi, S. Davis, J.-B. Wang, T. Sato, K. Morita, G.R. Uhl and T. Dohi (Japan, USA)*

305

Caveat: mycoplasma arginine deiminase masquerading as nitric oxide synthase in cell cultures <i>J.-W. Choi, W.G. Haigh and S.P. Lee (South Korea, USA)</i>	314	Subsection - Signal Transduction	
Characterization of p1C <sub>in</sub> binding proteins: identification of p17 and assessment of the role of acidic domains in mediating protein-protein interactions <i>F. Emma, R. Sanchez-Olea and K. Strange (USA)</i>	321	Regular papers	
Kininogen expression by rat vascular smooth muscle cells: Stimulation by lipopolysaccharide and angiotensin II <i>H. Okamoto, K. Yayama, H. Shibata, M. Nagaoka and M. Takano (Japan)</i>	329	Are tyrosine phosphorylation of p125 <sup>FAK</sup> and paxillin or the small GTP binding protein, Rho, needed for CCK-stimulated pancreatic amylase secretion? <i>J.A. Rosado, G.M. Salido, R.T. Jensen and L.J. Garcia (Spain, USA)</i>	412
Fusion of Sendai virus and individual host cells and inhibition of fusion by lipophosphoglycan measured with image correlation spectroscopy <i>B.J. Rasmusson, T.D. Flanagan, S.J. Turco, R.M. Epand and N.O. Petersen (Canada, USA)</i>	338	Inhibition of macrophage migration inhibitory factor secretion from macrophages by vitamin E <i>W. Sakamoto, J. Nishihira, K. Fujie, H. Handa, M. Ozaki and S. Yukawa (Japan)</i>	427
Degradation of distinct forms of multimeric vitronectin by human fibroblasts <i>C.E. Wilkins-Port and P.J. McKeown-Longo (USA)</i>	353	Modification of sulfhydryls of the skeletal muscle calcium release channel by organic mercurial compounds alters Ca <sup>2+</sup> affinity of regulatory Ca <sup>2+</sup> sites in single channel recordings and [ <sup>3</sup> H]ryanodine binding <i>J. Suko and G. Hellmann (Austria)</i>	435
Alterations in human lymphocyte DNA caused by sulfur mustard can be mitigated by selective inhibitors of poly(ADP-ribose) polymerase <i>H.L. Meier and C.B. Millard (USA)</i>	367	Effect of growth hormone on the translocation of GLUT4 and its relation to insulin-like and anti-insulin action <i>I. Yokota, H. Hayashi, J. Matsuda, T. Saijo, E. Naito, M. Ito, Y. Ebina and Y. Kuroda (Japan)</i>	451
Upregulation of Kupffer cell $\beta$ -adrenoceptors and cAMP levels during the late stage of sepsis <i>P.Y. Hahn, P. Yoo, Z.F. Ba, I.H. Chaudry and P. Wang (USA)</i>	377	A monoclonal antibody to a multiphosphorylated, conformational epitope at the carboxy-terminus of p53 <i>L. Otvos Jr., R. Hoffmann, Z.Q. Xiang, O. Insug, H. Deng, M. Wysocka, A.-M. Pease, M.E. Rogers, M. Blaszczyk-Thurin and H.C.J. Ertl (USA)</i>	457
Import rate of the E1 $\beta$ subunit of human branched chain $\alpha$ -ketoacid dehydrogenase is a limiting factor in the amount of complex formed in the mitochondria <i>T.L. Sitler, M.C. McKean, F. Peinemann, E. Jackson and D.J. Danner (USA)</i>	385	Extracellular Ca <sup>2+</sup> regulates the respiratory burst of human neutrophils <i>L. Bei, T. Hu, Z.M. Qian and X. Shen (China)</i>	475
Quantitative assay by flow cytometry of the mitochondrial membrane potential in intact cells <i>H. Rottenberg and S. Wu (USA)</i>	393	Rapid report	
DNA damage induces p21 protein expression by inhibiting ubiquitination in ML-1 cells <i>K. Fukuchi, S. Tomoyasu, T. Nakamaki, N. Tsuruoka and K. Gomi (Japan)</i>	405	Fibroblast and epidermal growth factor receptor expression in <i>Xenopus</i> oocytes displays distinct calcium oscillatory patterns <i>E. Browaeys-Poly, K. Cailliau and J.P. Vilain (France)</i>	484
		Cumulative Contents, Vol. 1404	491
		Author Index	493

